

# ACCURATE CONTROL OF STEADY-STATE AND $H_\infty$ SUBOPTIMAL CONTROL

*A. G. Alexandrov and V. N. Chestnov*

*Department of Manufacturing Automation, Moscow State Institute of Steel and Alloys  
(Technological University), Pervomayskaya 7, Elektrostal, Moscow region, 144000, Russia.  
Phone: (096-57) 4-33-11, Fax: (7-095) 179-77-20, E-mail: alex@misisf.msk.su*

Abstract: Problem of accurate control of steady-state of the linear time-invariant multivariable systems is formulated. The way of its solution on the base of  $H_\infty$  suboptimal control is proposed.

Keywords: Linear system,  $H_\infty$  suboptimal control, disturbance rejection.

## 1. INTRODUCTION

The work quality of a real control system is characterized by technical indices: a maximum overshoot, settling time, steady-state errors for each controlled variable, stability margins etc. These technical indices checked by the experiment are a language of task description on a design of any control system.

The accurate control of steady-state is a control that provides the specified tolerances on the steady-state errors of the controlled outputs in the presence of the unmeasured external disturbance and measurement noise with the known boundaries.

Note that the modern control theory uses axiomatic indices such a value of a quadratic functional, characteristic polynomial roots and the  $H_\infty$  norm of a transfer function matrix of closed-loop system that are axioms for  $LQ$ -optimization, modal control and  $H_\infty$  optimal control. These effective methods of synthesis may be used for real control system design if the connections between the technical and axiomatic indices are established. The first paper devoted by  $LQ$ -optimal system

properties is the investigation [12] where it was shown that for any linear control system with state feedback (and, in particular, for a “bad” system in the sense of the technical indices) may be found the quadratic functional for which this system is optimal. An analogous results take place for a  $H_\infty$ -optimal [13] and  $l_1$ -optimal control systems [8].

The connections of technical and axiomatic indices for  $LQ$ -optimal systems have been investigated by a number of authors. Using the circle frequency condition obtained in the paper [12] the boundaries of gain and phase stability margin are derived in [1, 2]. The like boundaries for a multivariable optimal systems have been derived by investigations [4, 16]. The connection of the optimization functional coefficients with steady-state errors under the step and harmonic external disturbance has been derived in works [3, 5, 6, 18] for case minimum-phase plant with output feedback and with state feedback (under condition that the controller outputs and disturbances are applied to a plant in the same places).

The aim of this paper is a investigation of the accuracy problem of steady-state of  $H_\infty$  suboptimal control for the more general case of plant, external disturbance

and measurement noise. However, a standard  $H_\infty$  suboptimal control [9] deals with finite energy signals (external disturbance and measurement noise) only, hence, it has practical limitation when persistent disturbances are present [14, 19].

In this paper we consider accuracy properties of  $H_\infty$  suboptimal system under harmonic disturbances of unknown frequencies. It is significant in order for the  $H_\infty$  control theory becomes a practicable tool for a control system design-engineer.

It should be noted that well known results (see, for example, [10, 17, 22, 23]) for rejection of harmonic disturbances are proposed when frequencies of the external disturbances are known. In this paper, however, we deals with sinusoids of unknown frequencies. In contrast to  $l_1$ -optimal control theory [14, 19] we consider steady-state errors only.

The main results this paper are a physical interpretation of  $H_\infty$  norm of transfer function matrix (section 3) and connections between steady-state errors and weighting matrices Riccati equations of  $H_\infty$  suboptimal control (section 5). The last result is analogous to the results solving well known problem of coefficients choice of the optimization functional for  $LQ$  problem.

## 2. PROBLEM STATEMENT

Consider the time-invariant system described by the following equations

$$\dot{\mathbf{x}} = A\mathbf{x} + B_1\mathbf{w} + B_2\mathbf{u}, \quad \mathbf{z} = C_1\mathbf{x}, \quad \mathbf{y} = C_2\mathbf{x} + \eta, \quad (2.1)$$

$$\dot{\mathbf{x}}_r = A_r\mathbf{x}_r + B_r\mathbf{y}, \quad \mathbf{u} = C_r\mathbf{x}_r + D_r\mathbf{y}, \quad (2.2)$$

where  $\mathbf{x}(t) \in R^n$  is a state vector of the plant (2.1),  $\mathbf{u}(t) \in R^m$  is a control,  $\mathbf{z}(t) \in R^m$  is a controlled output,  $\mathbf{y}(t) \in R^r$  is a measured output,  $\mathbf{w}(t) \in R^\mu$  is a external unmeasured disturbance,  $\eta(t) \in R^{m_2}$  is a measurement noise vector,  $\mathbf{x}_r(t) \in R^{n_r}$  is a state vector of the controller (2.2). The constant matrices  $A$ ,  $B_1$ ,  $B_2$ ,  $C_1$  and  $C_2$  are known. The pairs  $(A, B_1)$  and  $(A, B_2)$  are stabilizable and the pairs  $(C_1, A)$  and  $(C_2, A)$  are detectable.  $A_r$ ,  $B_r$ ,  $C_r$ ,  $D_r$  are unknown matrices.

The disturbance and noise components are the bounded functions

$$|w_i(t)| \leq w_i^* \quad i = \overline{1, \mu}, \quad |\eta_j(t)| \leq \eta_j^* \quad j = \overline{1, m_2} \quad (2.3)$$

(where  $w_i^*$  ( $i = \overline{1, \mu}$ ),  $\eta_j^*$  ( $j = \overline{1, m_2}$ ) are the given numbers) that may be represented as

$$w_i(t) = \sum_{k=1}^p \left( \delta_i^{s,k} \sin \omega_k t + \delta_i^{c,k} \cos \omega_k t \right) \quad i = \overline{1, \mu}, \quad (2.4)$$

$$\eta_j(t) = \sum_{q=1}^l \left( \alpha_j^{s,q} \sin \tilde{\omega}_q t + \alpha_j^{c,q} \cos \tilde{\omega}_q t \right) \quad j = \overline{1, m_2}. \quad (2.5)$$

Here the amplitudes  $\delta_i^{s,k}$ ,  $\delta_i^{c,k}$  ( $i = \overline{1, \mu}$ ), ( $k = \overline{1, p}$ );  $\alpha_j^{s,q}$ ,  $\alpha_j^{c,q}$  ( $j = \overline{1, m_2}$ ), ( $q = \overline{1, l}$ ) and the frequencies  $\omega_k$  ( $k = \overline{1, p}$ ),  $\tilde{\omega}_q$  ( $q = \overline{1, l}$ ) are unknown, however

$$\sum_{k=1}^p \left( |\delta_i^{s,k}|^2 + |\delta_i^{c,k}|^2 \right) \leq w_i^{*2} \quad i = \overline{1, \mu}, \quad (2.6)$$

$$\sum_{q=1}^l \left( |\alpha_j^{s,q}|^2 + |\alpha_j^{c,q}|^2 \right) \leq \eta_j^{*2} \quad j = \overline{1, m_2}, \quad (2.7)$$

where  $p$  and  $l$  are given integers.

Determine steady-state errors of the system (2.1), (2.2) as

$$z_{i,st} = \limsup_{t \rightarrow \infty} |z_i(t)| \quad i = \overline{1, m_1} \quad (2.8)$$

and analogous determine steady-state values of the control as

$$u_{i,st} = \limsup_{t \rightarrow \infty} |u_i(t)| \quad i = \overline{1, m}. \quad (2.9)$$

Problem of accurate control of steady-state consists in finding of controller (2.2) such that the system (2.1), (2.2) satisfies the requirements on accuracy

$$z_{i,st} \leq z_i^* \quad i = \overline{1, m_1}, \quad (2.10)$$

and to the tolerances on the steady-state values of the control

$$u_{i,st} \leq u_i^* \quad i = \overline{1, m}, \quad (2.11)$$

where  $z_i^*$  ( $i = \overline{1, m_1}$ ) and  $u_i^*$  ( $i = \overline{1, m}$ ) are the specified numbers.

Introduce radius of the steady-state

$$r_{st}^2 = \sum_{i=1}^{m_1} \left( \frac{z_{i,st}}{z_i^*} \right)^2 + \sum_{i=1}^m \left( \frac{u_{i,st}}{u_i^*} \right)^2. \quad (2.12)$$

**Problem 2.1 (Problem of accurate control of steady-state).** Find a controller (2.2) such that system (2.1), (2.2) satisfies the following inequality

$$r_{st}^2 \leq \nu^2 \quad (2.13)$$

for  $\nu \leq 1$ . If such a controller (2.2) does not exist then find controller (2.2) and a tolerance  $\nu$  for that requirement (2.13) holds. ■

A practical efficiency of this problem solution depends on difference  $\nu^2 - 1$ .

### 3. STEADY-STATE VALUES LEMMA

Let  $T_{zw}(s)$  is a stable ( $m_1 \times \mu$ ) transfer function matrix from external signal  $w$  to output  $z$  ( $\eta = 0$ , for simplicity).

$$z(s) = T_{zw}(s)w(s), \quad (3.1)$$

and  $\tilde{A}$ ,  $B$ ,  $C$  are matrices its minimal state space realization

$$T_{zw}(s) = C(sI - \tilde{A})^{-1}B. \quad (3.2)$$

The next bounded real lemma (see, for example, [11, 15, 21]) is the direct corollary of the famous so-called Kalman-Yakubovich-Popov lemma: Let  $Q = Q^T$  is any positive-definite matrix and  $\gamma > 0$  is a given number, then the frequency inequality

$$T_{zw}^T(-j\omega)QT_{zw}(j\omega) \leq \gamma^2 I, \quad \omega \in [0, \infty) \quad (3.3)$$

holds iff exist positive-definite solution  $P > 0$  of the quadratic matrix equation

$$\tilde{A}^T P + P\tilde{A} + \gamma^{-2}PBB^T P = -C^T Q C. \quad (3.4)$$

If  $Q = I$  then aim condition of  $H_\infty$  suboptimal control theory follows [9] from inequality (3.3).

Now, consider physical sense of the frequency inequality (3.3) with respect introducing definitions (2.8), (2.9). Suppose that external signal  $w$  from (3.1) has a view (2.4), (2.6) and consider, for convenience, diagonal weighting matrix  $Q$  in (3.3):  $Q = \text{diag}[q_1, q_2, \dots, q_{m_1}]$ ,  $q_i > 0$  ( $i = \overline{1, m_1}$ ).

Introduce the vector  $w^* = [w_1^*, w_2^*, \dots, w_\mu^*]^T$  with components from the right side (2.6), and determine the standard Euclidean norm of this vector  $\|w^*\| = \sqrt{(w^*)^T w^*}$ . Then the following result takes place.

**Lemma 1 (Steady-State Values Lemma).** *Let the frequency inequality (3.3) holds. Then steady-state outputs of the system (3.1) satisfy the following inequality*

$$\sum_{i=1}^{m_1} q_i z_{i,st}^2 \leq \gamma^2 p \|w^*\|^2. \quad (3.5) \blacksquare$$

**Proof:** Steady-state outputs of the system (3.1) are described as

$$z_{i,st} = \lim_{t \rightarrow \infty} z_i(t) = \sum_{k=1}^p a_i(\omega_k) \sin(\omega_k t + \phi_i(\omega_k)) \quad i = \overline{1, m_1}, \quad (3.6)$$

where  $a_i(\omega_k) \geq 0$  and  $\phi_i(\omega_k)$  ( $i = \overline{1, m_1}$ ,  $k = \overline{1, p}$ ) are amplitudes and phases of the forced oscillation.

It is obviously that

$$z_{i,st} \leq \sum_{k=1}^p a_i(\omega_k) \quad i = \overline{1, m_1}. \quad (3.7)$$

Using the Coushy-Bunyakovsky inequality [7]:

$$\left( \sum_{k=1}^p a_i(\omega_k) \right)^2 \leq p \sum_{k=1}^p a_i^2(\omega_k). \quad (3.8)$$

it is easily obtained on the base of (3.7) that

$$\sum_{i=1}^{m_1} q_i z_{i,st}^2 \leq p \sum_{k=1}^p \sum_{i=1}^{m_1} q_i a_i^2(\omega_k). \quad (3.9)$$

On the other hand, expression (3.1) and inequality (3.3) give

$$\begin{aligned} \sum_{i=1}^{m_1} q_i a_i^2(\omega_k) &= \delta^{(k)T} T_{zw}^T(-j\omega_k) Q T_{zw}(j\omega_k) \delta^{(k)} \leq \\ &\leq \gamma^2 \delta^{(k)T} \delta^{(k)} \quad k = \overline{1, p}, \end{aligned} \quad (3.10)$$

where  $\delta^{(k)} = [\delta_1^{(k)}, \delta_2^{(k)}, \dots, \delta_\mu^{(k)}]^T$ ,

$$\delta_i^{(k)} = \sqrt{|\delta_i^{s,k}|^2 + |\delta_i^{c,k}|^2} \quad (i = \overline{1, \mu}), \quad (k = \overline{1, p})$$

Lemma 1 follows from inequalities (3.9), (3.10) and (2.6).  $\blacksquare$

Note that the estimation (3.5) is achievable.

### 4. STATE FEEDBACK

First consider case when the state vector of the plant (2.1) is available for feedback and the measurement noise is absent. It means that

$$y = x, \quad C_2 = I, \quad \eta = 0. \quad (4.1)$$

Introduce new controlled output

$$\begin{aligned} \bar{z} &= \bar{C}_1 x + D_{12} u, \\ \bar{C}_1^T &= [C_1^T Q^{1/2}, 0], \quad D_{12}^T = [0, R^{1/2}], \end{aligned} \quad (4.2)$$

where matrices  $\bar{C}_1$  and  $D_{12}$  satisfy the following property

$$D_{12}^T [\bar{C}_1, D_{12}] = [0, R], \quad (4.3)$$

and  $Q = Q^T$ ,  $R = R^T$  are any positive-definite matrices.

Consider the next problem: find the state feedback control law

$$u = D_r x, \quad (4.4)$$

such that the following condition holds

$$T_{zw}^T(-j\omega)QT_{zw}(j\omega) \leq \gamma^2 I, \quad \omega \in [0, \infty) \quad (4.5)$$

where  $T_{zw}(s) = (\bar{C}_1 + D_{12}D_r)(sI - A - B_2D_r)^{-1}B_1$  and  $\gamma > 0$  is a given number.

It is well known standard  $H_\infty$  suboptimal control problem [9]. The solution this problem on the base the bounded real lemma was derived, for example, in [20].

The control law has a view

$$u = D_r x, \quad D_r = -R^{-1}B_2^T P, \quad (4.6)$$

where  $P = P^T \geq 0$  satisfied the algebraic Riccati equation (ARE)

$$A^T P + P A - P B_2 B_2^T P + \gamma^{-2} P B_1 B_1^T P = -C_1^T Q C_1, \quad (4.7)$$

which differs from usual ARE  $H_\infty$  suboptimal control theory [9] by weighting matrices  $Q \neq I$  and  $R \neq I$ .

These weighting matrices play important role for main results of this paper. It will be shown in the sequel that accuracy of closed-loop system (2.1), (4.6) is depend on the choice of matrices  $Q$  and  $R$ .

In linear-quadratic optimal control theory so-called optimal frequency condition (circle condition [12]) for transfer matrix of the open-loop system plays an important role [2, 5, 12, 16].

An analogous condition may be derived in  $H_\infty$  suboptimal control theory, which is called  $\gamma$ -optimal condition in the frequency domain. The main difference of this condition from circle condition consists in that the former includes transfer matrix of the closed-loop system (2.1), (4.6).

To obtain  $\gamma$ -optimal condition denote  $\bar{A} = A + B_2 D_r$  and determine the following closed-loop transfer matrices

$$T_{zw}(s) = C_1(sI - \bar{A})^{-1}B_1, \quad (4.8)$$

$$T_{uw}(s) = D_r(sI - \bar{A})^{-1}B_1, \quad (4.9)$$

$$T_w(s) = \gamma^{-2} B_1^T P (sI - \bar{A})^{-1} B_1, \quad (4.10)$$

which connect external disturbance  $w$  with initial controlled output  $z$ , control  $u$  and vector of the "worst" disturbance in the  $L_2[0, \infty)$  sense [9].

**Theorem 1.** *The transfer matrices (4.8)-(4.10) of closed-loop suboptimal system (2.1), (4.6) satisfy the following identity ( $\gamma$ -optimal condition in the frequency domain)*

$$[I - T_w(-j\omega)]^T \gamma^2 [I - T_w(j\omega)] = \gamma^2 I - T_{zw}^T(-j\omega) Q T_{zw}(j\omega) -$$

$$-T_{uw}^T(-j\omega) R T_{uw}(j\omega), \quad \omega \in [0, \infty). \quad (4.11) \blacksquare$$

**Proof:** Using a closed-loop system matrix  $\bar{A} = A + B_2 D_r$  the equation (4.7) is represented as

$$\bar{A}^T P + P \bar{A} + \gamma^{-2} P B_1 B_1^T P + P B_2 R^{-1} B_2^T P = -C_1^T Q C_1.$$

From the last equation after adding and subtraction  $sP$  and multiplication of the obtained expression by  $B_1^T(-sI - \bar{A}^T)^{-1}$  and  $(sI - \bar{A})^{-1}B_1$  from the left and from the right respectively the required result follows if connections (4.6), (4.8)-(4.10) take into account.  $\blacksquare$

**Corollary 1.** *The transfer matrices (4.8), (4.9) of the closed-loop  $H_\infty$  suboptimal system (2.1), (4.6) satisfy the following frequency inequality*

$$T_{zw}^T(-j\omega) Q T_{zw}(j\omega) + T_{uw}^T(-j\omega) R T_{uw}(j\omega) \leq \gamma^2 I, \quad \omega \in [0, \infty) \quad (4.12) \blacksquare$$

**Proof:** It is obvious since the left part of identity (4.11) is a positive definite matrix, hence, the right part gives the required result.  $\blacksquare$

Note that the inequality (4.12) is merely another form of the aim condition (4.5).

Let the weighting matrices  $Q$  and  $R$  from ARE (4.7) are

$$Q = \text{diag}[q_1, q_2, \dots, q_{m_1}], \quad q_i > 0 \quad i = \overline{1, m_1}, \quad (4.13)$$

$$R = \text{diag}[r_1, r_2, \dots, r_m], \quad r_i > 0 \quad i = \overline{1, m}, \quad (4.14)$$

Then the following theorem takes place.

**Theorem 2.** *The steady-state errors and steady-state values of the control components of the closed-loop  $H_\infty$  suboptimal system (2.1), (4.6) satisfy the inequality*

$$\sum_{i=1}^{m_1} q_i z_{i,st}^2 + \sum_{i=1}^m r_i u_{i,st}^2 \leq \gamma^2 p \|w^*\|^2. \quad (4.15) \blacksquare$$

**Proof:** This result is the direct corollary of the lemma 1 and follows from frequency inequality (4.12).  $\blacksquare$

Note that the estimation (4.15) is achievable and may be used in order to choice weighting coefficients of the matrices  $Q$  and  $R$  such that controller (4.6) provides a accuracy requirement (2.12). In particular, let weighting coefficients be

$$q_i \geq \frac{p \|w^*\|^2}{(z_i^*)^2} \quad i = \overline{1, m_1}; \quad r_i \geq \frac{p \|w^*\|^2}{(u_i^*)^2} \quad i = \overline{1, m_1}, \quad (4.16)$$

and denote  $\gamma^*$  a minimal value  $\gamma$  for that a solution  $P > 0$  of ARE (4.7) exists.

**Corollary 2.** Let the weighting matrices (4.13), (4.14) satisfy the inequalities (4.16). Then steady-state errors and steady-state values of the control components of the closed-loop  $H_\infty$  suboptimal system (2.1), (4.6) satisfy the following inequality

$$\sum_{i=1}^{m_1} \left( \frac{z_{i,st}}{z_i^*} \right)^2 + \sum_{i=1}^{m_1} \left( \frac{u_{i,st}}{u_i^*} \right)^2 \leq \gamma^{*2}. \quad (4.17) \blacksquare$$

**Proof:** This result is the direct corollary of the inequalities (4.15) and (4.16).  $\blacksquare$

So, from inequalities (2.12) and (4.17) we now conclude that radius of the steady-state of the closed-loop system (2.1), (4.6)  $r_{st}^2 \geq \gamma^{*2}$ .

Note, that if  $B_1 = B_2$  then an ARE (4.7) for all  $\gamma > 1$  is the usual ARE of the  $LQ$  optimal control theory and its solution  $P > 0$  exist. In this case  $r_{st}^2 \rightarrow 1$ , hence, inequalities (2.10), (2.11) are fulfilled.

## 5. OUTPUT FEEDBACK

Let the measured output of the plant (2.1) be

$$y = C_2 x + \eta, \quad (5.1)$$

Introduce the vector  $\bar{w} = [w^T, \eta^T]^T$  and find the controller (2.7) such that the following aim condition holds

$$T_{\bar{z}\bar{w}}^T(-j\omega)T_{\bar{z}\bar{w}}(j\omega) \leq \gamma^2 I, \quad \omega \in [0, \infty), \quad (5.2)$$

where  $T_{\bar{z}\bar{w}}(s)$  is the closed-loop transfer matrix of the system (2.1), (2.2) from signal  $\bar{w}$  to controlled output  $\bar{z}$  (4.2),  $\gamma$  is a given number.

It is well known standard  $H_\infty$  suboptimal output feedback problem [9]. The solution of this problem on the base the bounded real lemma was derived in paper [20].

The control law is described by

$$u = -R^{-1}B_2^T P x_r, \quad (5.3)$$

where  $P = P^T > 0$  is the positive-definite solution ARE (4.7),  $x_r$  is the state vector of the observer

$$\dot{x}_r = Ax_r + B_2 u + B_1 w_r + K_f(y - C_2 x_r), \quad (5.4)$$

in which

$$w_r = \gamma^{-2} B_1^T P x_r, \quad (5.5)$$

is the estimation of the disturbance and  $K_f$  is the observer gain matrix

$$K_f = (I - \gamma^{-2} Y P)^{-1} Y C_2^T, \quad (5.6)$$

where  $Y$  is a positive-definite solution ARE:

$$AY + Y A^T + \gamma^{-2} Y C_1^T Q C_1 Y - Y C_2^T C_2 Y = -B_1 B_1^T, \quad (5.7)$$

and the following condition must be fulfilled

$$\lambda_{\max}(YP) < \gamma^2, \quad (5.8)$$

where  $\lambda_{\max}(M)$  is a maximum eigenvalue of a matrix  $M$ .

Write the transfer matrix  $T_{\bar{z}\bar{w}}(s)$  in view (4.2) as

$$T_{\bar{z}\bar{w}}(s) = \begin{bmatrix} Q^{\frac{1}{2}} T_{z\bar{w}}(s) \\ R^{\frac{1}{2}} T_{u\bar{w}}(s) \end{bmatrix} \quad (5.9)$$

where  $T_{z\bar{w}}(s)$  and  $T_{u\bar{w}}(s)$  are matrices of the closed-loop system (2.1), (5.3)-(5.7) from  $\bar{w}$  to  $z$  and from  $\bar{w}$  to  $u$  accordingly.

Then frequency inequality (5.2) may be represented as

$$T_{z\bar{w}}^T(-j\omega)Q T_{z\bar{w}}(j\omega) + T_{u\bar{w}}^T(-j\omega)R T_{u\bar{w}}(j\omega) \leq \gamma^2 I \\ \omega \in [0, \infty) \quad (5.10)$$

Let weighting matrices  $Q$  and  $R$  have a diagonal form (4.13), (4.14).

**Theorem 3.** The steady-state errors and steady-state values of the control components of the closed-loop  $H_\infty$  suboptimal system (2.1), (5.3)-(5.7) satisfy the following inequality

$$\sum_{i=1}^{m_1} q_i z_{i,st}^2 + \sum_{i=1}^m r_i u_{i,st}^2 \leq \gamma^2 (p+l) \|\bar{w}^*\|^2, \quad (5.11)$$

where  $\|\bar{w}^*\|$  is a  $E$  Euclidean norm of the vector  $\bar{w}^* = [w_1^*, w_2^*, \dots, w_\mu^*, \eta_1^*, \dots, \eta_{m_2}^*]^T$  whose components are took from the right parts inequalities (2.6), (2.7).  $\blacksquare$

**Proof:** The result follows from frequency inequality (5.10) after application of lemma 1.  $\blacksquare$

Note, that if diagonal elements of the weighting matrices  $Q$  and  $R$  satisfy the following conditions

$$q_i \geq \frac{(p+l)\|\bar{w}^*\|^2}{(z_i^*)^2} \quad i = \overline{1, m_1}; \\ r_i \geq \frac{(p+l)\|\bar{w}^*\|^2}{(u_i^*)^2} \quad i = \overline{1, m}, \quad (5.12)$$

then next result solving the problem 2.1 is true.

**Corollary 3.** Let the weighting matrices (4.13), (4.14) satisfy the inequalities (5.12). Then steady-state errors and steady-state values of the components of the control

of the closed-loop  $H_\infty$  suboptimal system (2.1), (5.3)-(5.7) satisfy inequality (4.17).

**Proof:** This result follows from inequalities (5.11) and (5.12). ■

So, the radius of steady-state of the closed-loop system (2.1), (5.3)-(5.7), (5.12),  $r_{st}^2 \leq \gamma^{*2}$ , where  $\gamma^*$  is a minimal value  $\gamma$  for that the solutions  $P > 0$  and  $Y > 0$  of AREs (4.7), (5.7) are exists and condition (5.8) holds, and therefore in problem 2.1  $\nu = \gamma^*$ .

## REFERENCES

1. Alexandrov A.G. *Frequency characteristics of optimal control systems. Automation and Remote control*, No 9, 1969.
2. Anderson B.D.O. and Moore J.B. *Linear optimal control*. N.Y.: Prentice - Hall, 1971.
3. Alexandrov, A.G. *Analytical synthesis of controller transfer matrices on the basis of frequency domain performance criteria. II. Automation and Remote Control*, No 2, 1972.
4. Alexandrov, A.G. and Nebaluev N.A. *Analytical synthesis of controller transfer matrices on the basis of frequency domain performance criteria. I. Automation and Remote Control*, No 12, 1971.
5. Alexandrov A.G. *Controller synthesis of multivariable systems. Moscow, Mashinostroenie*, 1986, (in Russian).
6. Alexandrov A.G. and Chestnov V.N. *Accuracy control and  $H_\infty$  optimization. Abstracts 17th IFIP TC7 Conference on System Modelling and Optimization*, July 10 - 14, 1995, Prague, Czech Republic, Vol. 1.
7. Bellman R. *Introduction to matrix analysis*. N.Y.: McGraw - Hill. 1960.
8. Decdhare G. Vidjasagar M. *Every Stabilizing Controller is  $l_1$  and  $H_\infty$  - Optimal. IEEE Trans. Autom. Control*, Vol. 36, No 9, pp. 1070-1073, 1991.
9. Doyle J.C., Glover K., Khargonekar P.P and Francis B.A. *State-space solution to standard  $H_2$  and  $H_\infty$  control problem. IEEE Trans. Automatic Control*, AC-34, No 8, pp. 831-846, 1989.
10. Davison E.J. and Patel P. *Application of the robust servomechanism controller to systems with periodic tracking/disturbance signals. Int. Control*, Vol. 47, No 1, pp. 111-127, 1988.
11. Haddag W.V. and Bernstein D.S. *Explicit construction of Quadratic Lyapunov Functions for the Small Gain, Positivity, Circle and Popov Theorems and Their Application to Robust Stability. International Workshop on Robust Control*, Texas, March 1991, pp. 149-173.
12. Kalman R.E. *When is a linear system optimal? Trans. ASME Ser. D.J.Basic. Eng.v. 86*, pp. 51-60, 1964.
13. Lenz K.E., Khardonegar P.P. and Doyle J.C. *When is a controller  $H_\infty$  - Optimal? Mathematics of Control, Signals and Systems*, Vol. 1, pp. 107-122, 1988.
14. McDonald J.S. and Pearson J.B.  *$l_1$  - optimal control of multivariable systems with output norm constraints. Automatica*, Vol. 27, No 2, pp. 317-329, 1991.
15. Popov V. M. *Hyperstability of control systems. Springer*, 1973.
16. Safonov M.G. and Athans M. *Gain and Phase Margin for Multiloop LQG Regulators. IEEE Trans. Automat. Control*, Vol. AC-22, No. 2, pp. 173-179, 1977.
17. Savkin A.V. and Peterson I.R. *Robust control with rejection of harmonic disturbances. IEEE Trans. Autom. Control*, Vol. 40, No. 11, pp. 1968-1971, 1995.
18. Timofeev, Yu.K. *Static errors of analytical designed systems. In Analytical methods of controller design (ed. A.G.Alexandrov), Saratov polytechnical institute, Saratov*, pp. 53-60, 1976, (in Russian).
19. Vidjasagar M. *Optimal rejection of persistent bounded disturbances. IEEE Trans. Autom. Control*, Vol. 31, No. 6, pp. 527-534.
20. Veillette R.J., Medanic J.V. and Perkins W.R. *Robust Control of uncertain systems by decentralised control. Preprints 11 IFAG world congress, Tallinn, Estonia, USSR*, Vol. 5, pp. 116-121, 1990.
21. Willens J.S. *Least Squares Stationary optimal Control and the algebraic Riccati Equation. IEEE Trans. Autom. Control*, Vol. AC-16, No. 6, pp. 621-624, 1971.
22. Yakubovich V.A. *Linear quadratic problem of optimal rejection of forced oscillations under unknown harmonic external disturbances. Doklady of Russian Academy Sciences*, Vol. 333, No. 2, pp.170 - 172, 1993.
23. Yakubovich V.A. *Optimal rejection of forced oscillations systems with output feedback. Doklady of Russian Academy Sciences*, Vol. 337, No. 3, pp. 323-327, 1994.